

EVERYTHING YOU'VE EVER WANTED UNDER ONE ROOF

F A N S C A T A L O G U E 2 0 2 3

**STAR-RATED FANS
WITH MORE DESIGNS
THAN YOU CAN
BREEZE THROUGH.**





WE ARE KNOWN FOR FIRST-TO-MARKET INNOVATIVE PRODUCTS



Aeroquiet BLDC



September, 2017
Aerodynamically enhanced
blades for efficient air-throw.

Aerostorm



January, 2018
Highest Air delivery in
its segment. 300 CMM.

Aeroslim BLDC



January, 2019
India's first IoT enabled
BLDC fan.

I-Float IoT BLDC

December, 2022
Perfectly designed
BLDC fan with IoT.

THE NEXT LEVEL
OF INNOVATION
IS HERE

Introducing

CLOUD 

With Unique Cloudchill Technology



REDUCES
TEMPERATURE
UP TO 12°C*

*Under defined test conditions.



BEE STAR RATING FOR CEILING FANS

Did you know that in a tropical country like India, ceiling fans play an essential role in keeping households cool and comfortable? However, they can also consume a significant amount of energy, accounting for almost 20% of overall household electricity usage. That's why the Bureau of Energy Efficiency (BEE) has introduced a new BEE Star rating scheme for fans.

Starting January 1st, 2023, all ceiling fans produced must comply with this rating scheme, and manufacturers must obtain relevant NABL testing to ensure their fans meet the standards. By choosing a BEE-compliant 5-star rated fan, you could save up to ₹1700 per year, and reduce your energy consumption by up to 50% compared to non-star rated traditional fans.

Happy to introduce our new BEE complied Star Rated ceiling fan series which are more energy-efficient and cost-effective option today. Stay cool, comfortable, and save big on your electricity bills with Orient Fans!



SAVINGS ARE IN THE AIR! ORIENT STAR-RATED FANS.

How to calculate star-rating in fans?

Air Delivery / Watt = Service Value, further Service Value is designated as per BEE norms.

Slabs (Service Value)	Star Rating	Annual Savings (INR)*
$\geq 4.0 < 4.5$	1 Star	861
$\geq 4.5 < 5.0$	2 Star	1096
$\geq 5.0 < 5.5$	3 Star	1291
$\geq 5.5 < 6.0$	4 Star	1448
≥ 6.0	5 Star	1761

*Orient fans compared to non star induction motor fans. Calculated basis electricity rates @₹6.7/unit



Redesigned motor for less power consumption



BEE Certification from NABL Approved Labs



Added safety wire



ORIENT ELECTRIC

A BRAND THAT STRIVES TO BRING THE BEST OF INNOVATION FOR YOU.

For you and the future that awaits you.

The pioneers of change. The market leaders. The Superbrand. We are known by a lot of names but at our core, we are a brand with a singular goal in mind - delighting our consumers with the finest there is to offer! And we've been doing it for 68 years.

Our customer-first ideology empowers us to break new barriers in our pursuit of offering better, more innovative solutions. We strive every day to get the right proportions of aesthetics, technology, and performance at your doorstep.

At Orient, your comfort and convenience take the front seat, with affordability and functional utility following suit. Which is one of the reasons why we're the front-runners in the energy-efficient fans segment. We are always in-sync with the changing rules of the modern world and constantly explore new avenues to make life simpler, better, and future-ready.

We are already India's favorite one-stop-shop for fans, lighting, home appliances, switchgears, and other electrical solutions. And yet, we're always excited for more - more innovations, more comfort, more elegance.

We call it The Orient way.

YEAR
OLD
LEGACY **68**





STATE-OF-THE-ART FAN MANUFACTURING FACILITIES

Many of the innovations in the fan industry that are now taken for granted came from the research of Orient Electric's R&D centres and from our urge to bring top-quality products to Indian consumers. As a brand leader as well as a thought leader in fans, we have been routinely introducing pioneering manufacturing processes and technologies thus setting new industry benchmarks in terms of performance, functionality, reliability, and aesthetics.

We draw a sizable advantage from our state-of-the-art proprietary manufacturing facilities for fans at Faridabad and Kolkata, which enables us to manufacture first-to-market products with best-in-class quality and performance. Quality being the key driving force behind everything we do at Orient Electric, we conscientiously follow the Six Sigma processes to manufacture zero-defect products.

Our sustained investments in building up competence and innovation centers have helped not only to bring differentiation but also bring down costs. We have a huge acceptability of our products in the international markets. We are today the largest exporter of fans from India with a strong marketing presence in over 35 international markets.

ORIENT ELECTRIC MILESTONES

1 9 3 9	The journey begins. Factory established in Kolkata.	2 0 1 4	Unveils energy-efficient BLDC fans.
1 9 5 4	Inducted into the CK Birla Group. Renamed as Orient Fans.	2 0 1 6	Unveils the 'Very Silent Very Powerful' Aeroquiet premium ceiling fan.
1 9 6 5	Becomes the first Indian company to introduce die-casting of the rotor and fan body cover in ceiling fans.	2 0 1 7	Demerges and gets listed as a separate entity.
1 9 6 9	Establishes a factory in Faridabad.	2 0 1 8	Gets listed on the stock exchanges.
1 9 9 0	Develops and patents the revolutionary PSPO technology for fans.	2 0 1 9	Unveils India's first smart ceiling fan.
2 0 1 4	Unveils new brand identity. Rebranded as Orient Electric with the positioning statement of 'Switch to Smart'.	2 0 2 0	Enters the 'Fortune India 500' list.
		2 0 2 3	Launches first-of-its-kind Cloud 3 fan with Cloudchill technology.


ACCOLADES AS GLORIOUS AS OUR RANGE



At Orient Electric, we have a great story to tell. As an enduring enterprise, we have been creating value consistently for more than six decades. And we are honoured to have been recognised time and again for our accomplishments as a consumer electricals major, a great employer, and a responsible corporate citizen.

We continue to be a consumer validated 'Superbrand' for Fans, Air Coolers and Lighting. In the recent times, we have been conferred with many other illustrious awards and recognitions including Most Trusted Brands of India 2023, Prestigious Brands of Asia 2021-22, The Economic Times Iconic Brands of India 2022, and National Energy & Conservation Award 2021, just to name a few. We have been consistently awarded 'Star Performer' by the Engineering Export Promotion Council (EEPC) and are also rated as 'Star Export House' by the Ministry of Commerce and Industry, Government of India.

Additionally, we continue to retain our 'Great Place to Work' certification since 2020 which endorses our commitment to sustaining a high-performance, people-centric culture.

A man with dark hair, wearing a purple t-shirt and blue jeans, is sitting on a black leather sofa. He is pointing his right index finger upwards and smiling. Above him is a modern ceiling fan with three blades and a central light fixture. To the left of the sofa is a tall, dark plant. To the right is a small black side table with a lamp. The background is a dark, textured wall.

Introducing, the best of us for the best of you! Arriving in style with their trademark elegance and exclusive designs, Orient Aero Series fans are exceptional without a doubt.

Aero Series



VERY SILENT. VERY POWERFUL. VERY EFFICIENT.

The Aero Series fans have many sides to them. They are bold, dynamic and premium. They also are technologically unmatched, governed by the core principle of aerodynamics applied in aircrafts and Formula One cars. This design and the use of new-age material reduce friction and air turbulence like never before. The result? Drastically reduced fan noise and an unmatched air thrust. So, wait no further. The coolness, the silence, the future await you.



BEND AND RUST
PROOF ABS BODY



HYDROGRAPHIC
PU FINISH



ROBUST & RELIABLE
INTELLIGENT BLDC MOTOR



HIGHEST
AIR DELIVERY



AERODYNAMIC
& SLIM DESIGN



CEILING ADJUSTABLE
TELESCOPIC MOUNTING



AEROSLIM BLDC

Flame Gold



Available
with
Remote



Marble White

C Brown

White



India's first-ever
IoT enabled,
voice-controlled
ceiling fan.



High air delivery



Ceiling adjustable
telescopic mounting



3 Years warranty



Aerodynamic and
slim design



Reverse rotation



Bend & rust-proof
ABS body

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	260	310	40

*On using four fans for 16 hours daily throughout one year.

save upto **₹7000 annually***



orient
BLDC FANS



AEROQUIET BLDC

Mystic Gold



Available
with
Remote

5 YEARS
WARRANTY



High air
delivery



Aerodynamic &
slim design



Very silent
operation



Superior
PU Finish

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	225	310	35

*On using four fans for 16 hours daily throughout one year.



White



Daytone Grey



Caramel Brown



Matt Black

save upto **₹7000 annually***



orient
BLDC FANS



Matt Black



White



Daytone Grey



Roasted Coffee



Orbes white



Caramel Brown



Mystic Gold



High air delivery



Strongest motor (18 pole)



Superior PU finish



Aerodynamic & slim design

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	150	430	48
1200	225	310	55



900mm comes only in two colors Caramel Brown and White.



AEROSTORM

Charcoal Grey



White



Caramel Brown



Mystic Gold



High air delivery



Superior PU finish



Strongest motor
(18 pole)



Aerofoil design



Aerodynamic &
slim design

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1320	300	300	75

AEROLITE

Caramel Brown



White



High air delivery



Warm white
LED light



Superior PU finish



Aerodynamic &
slim design

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	310	62

AEROCOOL



Space Grey



White



High air delivery



Superior PU finish



Strongest motor
(18 pole)



Aerofoil design



Aerodynamic and
slim design

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1360	300	300	75

Air-circulating Luxury Chandeliers. 'Impeccable beauty, Impactful technology'.

Underlight Fans



EZ01



EZ02



Woodwind



Subaris



Spectra



Subaris Solo



Rerolite



Reroslim

'Impeccable beauty, Impactful technology'.

Eleganza Series



Eleganza
EZ 01
AIR CIRCULATOR



Eleganza
EZ 02
AIR CIRCULATOR



Mood lighting
(White, Yellow, Mix)



With Remote



High quality
crystals



Provides
Air Circulation



2 Years Warranty
on Motor



Designer transparent
retractable blades



AEROSLIM BLDC

Marble White



India's first-ever
IoT enabled,
voice-controlled
ceiling fan.



High air delivery



Ceiling adjustable
telescopic mounting



Robust and reliable
BLDC motor



Aerodynamic and
slim design



Reverse rotation



Bend & rust-proof
ABS body



C Brown



Flame Gold



White

save upto **₹7000 annually***



orient
BLDC FANS

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	260	310	40

*On using four fans for 16 hours daily throughout one year.

AEROLITE

Caramel Brown



High air delivery



Warm white LED light



Superior PU finish



Aerodynamic & slim design

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	310	62

SUBARIS



Motor Antique Brass
Blade Oakwood



Motor Antique Copper
Blade Oakwood



5 Blades for
high air delivery



Capacitor based
speed control



Wooden-finish
aluminium blades



Trendy glass
shade for light



Electroplated finish
for premium look



Reverse rotation

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1300	270	270	80

SUBARIS SOLO



Motor Brushed Nickel
Blade Walnut



Motor Brushed Copper
Blade Walnut

 5 Blades for high air delivery

 Trendy glass shade for light

 Capacitor based speed control


 Electroplated finish for premium look

 Wooden-finish aluminium blades

 Reverse rotation

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1300	270	270	80

WOODWIND



Metallic Bronze



5 Blades for high air delivery



Trendy glass shade for light



Capacitor based speed control



Elegant metallic bronze paint finish for a premium look



Wooden-finish aluminium blades



5 wooden blades with different wooden finish on both sides, to suit the home decor

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1300	215	250	80

SPECTRA



Antique Copper



Pewter Finish



Brushed Brass

Multi-Colour Light Display



Candle Light



Green Light



Red Light



Yellow Light



Blue Light



LED light kit



LED light intensity
adjustment as per need



Electroplated finish



Multi colour lights for
different moods



Timer & 5-speed
control through remote



Automatic and manual
colour changing mechanism
for lights

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	320	70

Energy Saving Series

In Brushless Direct Current motors, permanent magnets are used for transferring electricity unlike conventional motors that use electromagnetic induction. This means negligible losses in the form of heat along with lesser wear and tear of motor parts, making it super energy-efficient and durable. This is why it is widely being used in aircrafts, automobiles, home appliances, air conditioners, and washing machines.

orient BLDC FANS

The BLDC fans series is a masterpiece of innovation, created to save energy and your hard-earned money. Its intelligent design is a result of years of research, which ensures that you never have to compromise. Apart from savings on your electricity bill, it also helps cut down CO2 emission by reducing consumption of coal for energy generation.



Reason to switch to **Orient** BLDC FANS

Orient BLDC fans, powered by BLDC technology, provide increased durability of the motor, reduced motor noise and double the efficiency of operation, along with impressive savings on electricity bills.



Up to 50%
Energy Saving



Low Noise
Operation



Powerful
Air Delivery



Works on
Low Voltage



AEROSLIM BLDC

Flame Gold



India's first-ever
IoT enabled,
voice-controlled
ceiling fan.



High air delivery



3 Years warranty



Reverse rotation



Ceiling adjustable
telescopic mounting



Aerodynamic and
slim design



Bend & rust-proof
ABS body

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	260	310	40

*On using four fans for 16 hours daily throughout one year.

save upto ₹7000 annually*



orient
BLDC FANS

AEROQUIET BLDC



5 YEARS
WARRANTY



High air delivery



Aerodynamic & slim design



Very silent operation



Superior PU finish

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	225	310	35

*On using four fans for 16 hours daily throughout one year.



Energy Efficient

save upto ₹7000 annually*



orient
BLDC FANS



i-FLOAT BLDC IoT

Cosmos Black



Available with Remote



- Fan scheduling (start & stop as per your needs)
- Turbo mode, Sleep mode, Breeze mode
- Built-In Timer (2, 4, 6, 8 Hrs)



Aerodynamic design for 15% more air delivery



Works on low voltages (140V-270V)



3 Years warranty



Metalised decorative ring adds elegance and beauty



Reverse rotation



Very silent operation



White



Lakeside Brown



Space Grey

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	215	330	32

save upto ₹7000 annually*



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year.



i-FLOAT BLDC

White



Cosmos Black



Lakeside Brown



Space Grey



3 Years warranty



Works on
low voltages
(140V-270V)



Metalised decorative
ring adds elegance
and beauty



Saves up to
50% electricity



Aerodynamic
design for 15%
more air delivery



Very silent
operation

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	215	330	32

save upto **₹7000 annually***



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year.



HECTOR-500 BLDC

Topaz Gold



Available
with
Remote



Brown



White



Pearl White

5 YEARS WARRANTY




High air delivery



Works on
low voltages
(140V - 270V)



Very silent
operation



Remote control for
ease of operation



Saves up to
50% electricity



Robust & reliable
Intelligent
BLDC motor

	Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
With Remote	1200mm	230	350	28
With Regulator	1200mm	230	350	32
	900mm	140	450	25
	1400mm	260	300	35

save upto ₹7000 annually*



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year. 5 Years warranty available with 1200mm variant only.



i-FALCON Remote BLDC


Smoke Brown



Available
with
Remote



White



Brown

Energy Efficient



High air
delivery



3 Years warranty



Very silent
operation



Saves up to
50% electricity



Wide Tip Aluminium
blades for better
air spread.



Modern look with
minimalistic design

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	225	350	32

save upto ₹7000 annually*



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year.



i-FALCON BLDC

Metallic Bronze Cooper



Brown



White



Robust & reliable
Intelligent BLDC motor



Saves up to 50%
electricity



3 Years warranty



Works on low
voltages (140V-270V)



Noiseless
Operation

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	225	350	30

save upto ₹7000 annually*



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year.

i FALCON DECO BLDC



Brown



Available
with
Remote



White



Metallic
Bronze Copper

Energy Efficient



Stylish and Elegant
Design to enhance
your home decor



Works on Low
Voltage(140-270V)



Wide Tip Aluminium
blades for better
air spread.



3 Years warranty



Low noise
operation



High air
delivery

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	225	350	30

*On using four fans for 16 hours daily throughout one year.

save upto **₹7000 annually***



orient
BLDC FANS



HECTOR DECO BLDC

Brown



Available
with
Remote



Royal Manioca



Metalic Bronze
Copper



White

5 YEARS
WARRANTY



Low noise
operation



Wider Tip Blade for
better air spread



3 Years warranty



Stylish and Elegant
Design to enhance
your home decor

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	350	30

save upto **₹7000 annually***



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year.

ECOTECH SUPREME BLDC



**HIGH
SPEED**



Stabilizer free
functioning (120V - 280V)



Intelligent BLDC
- 50% energy savings




3 Years
warranty



Modern look with
minimalistic design



Remote
Operation



Metallic Bronze
Copper

Brown

White

Topaz Gold

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	370	28

save upto **₹7000 annually***



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year. Also available in regulator variant with 30W power consumption.

ECOTECH PRO BLDC



Topaz Gold



Available
with
Remote



White



Metallic
Bronze Copper



Brown



Low Power
consumption of 26W



Wider tip blades for
High air delivery, 220CMM



3 Years
warranty



Low Noise,
silent operation



Advanced Intelligent BLDC
Technology, results 50%
Electricity Saving.

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	370	26

save upto ₹7000 annually*



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year. Also available with regulator with power consumption of 32W.



ECOTECH PRIME BLDC

Metallic Bronze Copper



Available
with
Remote



White

Brown

Oakwood

**HIGH
SPEED**



Stabilizer free
functioning (120V - 280V)



Modern look with
minimalistic design



3 Years
warranty



50% energy savings



High air delivery

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	350	32

save upto ₹7000 annually*



orient
BLDC FANS

*On using four fans for 16 hours daily throughout one year.



**JAZZ
BLDC**

Metallic Bronze Copper



Available
with
Remote



Ash Rose



Royal Manioca



Daytone Grey



Orbis White

**HIGH
SPEED**



Stylish blade trims
with metallic finish



Integrated PU painted &
metallized trims for astonishing
and impeccable aesthetics



50% energy savings



Stabilizer free
functioning (120V - 280V)



3 Years
warranty

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	215	350	33

*On using four fans for 16 hours daily throughout one year.

save upto **₹7000 annually***



orient
BLDC FANS



WENDY
BLDC

Metallic Black Gold



Available
with
Remote



Azure
Blue-Silver



Pearl
White Walnut

Energy Efficient



Dual colour tone
with integrated trims



50% energy savings



3 Years
warranty



Ribbed Aluminum, extra
wide blades for higher
air delivery and thrust



Stabilizer free
functioning (120V - 280V)

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	350	35



orient
BLDC FANS



Bring home a beauty that just won't quit. Orient Decorative Fans are a seamless mix of art and science - with top-notch performance packed in an elegant package that takes your breath away!

Decorative Fans



STALLION



QUASAR



JAZZ ART



**KIARA
ANTIDUST**



MORACE



GRATIA



**QUADRO
ORNAMENTAL**



WENDY



JAZZ



GRATIA CLASS



ENERGY STAR



FALCON DECO



ADONIS



ARETA



**QUASAR
ORNAMENTAL**



**SUMMER
BREEZE PRO**

Decorative

Orient's range of aesthetically brilliant and functionally optimized fans give our consumers the best of both worlds. These fans smoothly fit into the 'modern home' style, capturing the attention of everyone with their sheer elegance while filling every space with unmatched comfort!



Seamless in-mould design
for elegant home decors



ANTIVIRAL
PAINT





MORACE

Orbes White



Brown



Daytone Grey



Royal Manioca

Decorative

5 YEARS
WARRANTY

HIGH
SPEED



Seamless in-mould design
for elegant home decors



Antiviral
Technology with
bactericidal
surface coating.



High Air delivery
and Air throw



Wider Tip Aluminium blades
for Better Air Spread



Anti-dust and
easy to clean



Exotic trim design blends
with modern interiors

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	215	370	52



STALLION

Antique Copper



Pewter Finish



Brushed Brass

With unique four blades design
looks as good as it cools.



Bold design for modern homes



Wider and unique blade design



Strong, robust motor with double ball bearing



Premium electroplated finish



Four-blades for higher delivery

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1320	260	330	75

QUASAR

Brushed Copper



Steel Grey



Pewter Finish



Brushed Brass

Decorative



A designer fan that
**packs beauty
with performance.**



Wide blades for
high air delivery



Ribbed blades & lacquer
coating for durability



Elegant design to
complement room decor

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	140	400	38
1050	165	380	45
1200	235	320	50
1400	260	300	60



900mm, 1050mm and 1200mm rated BEE 2-star. 1400mm rated BEE 1-star.



KIARA ANTIDUST

Azure Blue



Chocolate Gold



Pearl Metallic White



Hickory Brown



Scratch resistant



Metallic finish & stylish blade trims



Attracts less dust



Full copper motor for durability



Powerful motor for high air delivery



Easy to clean

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	215	370	53





**HIGH
SPEED**



Seamless in-mould design
for elegant home decors



Premium Finish with
modern styling on trims



Durable and strong
14 pole motor



Metallic finish & stylish
blade trims



Decorative ring on
bottom cover & canopy
for better aesthetics



Decorative

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	215	370	53





Golden Chocolate



Sea Green-Oyster
Green



Silver Blue

PSP
Technology



Wide blades for
high air delivery



Full copper motor, ribbed
blades & lacquer coating
for durability



Elegant design to
complement room decor



Wide blades for
high air delivery

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	320	55





WENDY

Metallic Black Gold



Azure
Blue-Silver



Topaz
Gold Brown



Pearl
White Walnut

Decorative

PSP
Technology



Wide blades for
high air delivery



Full copper motor &
ribbed aluminium blades
for durability



Metallic finish with lacquer
coating for longer life



Elegant looks with
stylish trims

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	155	400	37
1200	230	320	55
1400	250	300	55



Also available in Anti Dust variant. *Fan available with remote option in sweep size 1200mm. 900mm rated BEE 3-star. 1200mm rated BEE 2-star. 1400mm rated BEE 1-star.

ARETA



Matt Black-
Pearl Metallic White



Golden
Beige-Coffee



Pearl Metallic
White Trendz



Matt Black Trendz



Wide blades for
high air delivery



Full copper motor & ribbed
aluminium blades for durability



Curvy blades &
three-layered canopy



Elegant looks with decorative
trims & bottom cover ring

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	320	53



QUASAR ORNAMENTAL

Golden Chocolate



Decorative

PSP
Technology



Wide blades for
high air delivery



Dual colour combination
adds elegance to your
home decor



Ribbed aluminium
blades for durability



Decorative ring on
motor & canopy for
better aesthetics



Lacquer coating
provides longer life



High air delivery

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	140	850	70
900	140	400	38
1050	165	380	45
1200	235	320	50
1400	260	300	60



Also available in Anti Dust variant only in 1200mm. 900mm and 1050mm rated BEE 2-star. 1200mm rated BEE 1-star. 1400mm rated BEE 2-star.

JAZZ



Metallic Bronze Copper



Jazz Trendz
Metallic Bronze Copper



Jazz Trendz
Pearl Metallic White



Pearl Metallic
White Chrome



Maple Gold



Mahogany Brown



Burgandy Silver



Decorative ring on bottom cover & canopy for better aesthetics



Full copper motor & ribbed aluminium blades for durability



Durable and strong 14 pole motor



Metallic finish & stylish blade trims

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	110	850	68
900	155	400	37
1050	165	380	45
1200	225	380	53
1400	250	300	60



Also available in High Speed variant. 900mm rated BEE 3-star. 1050mm rated BEE 2-star, 1200mm and 1400mm rated BEE 1-star.

GRATIA



Burgundy Silver



Purple



Metallic
Bronze Copper



Pearl
Metallic White



Metallic Ivory



Off white
Matt Silver



Azure
Blue-Silver



Mahogany
Brown



Topaz Gold
Metallic Copper



Metallic ivory-
Matt Bronze



Silky Silver

Decorative



Highest
air delivery



Rust proof
aluminium blades



Wide tip blades



Decorative
ring & trim

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	110	850	65
900	140	400	38
1050	165	380	45
1200	220	320	53
1400	255	300	62



Also available in Anti Dust variant. Also available in High Speed variant. 900mm and 1050mm rated BEE 2-star. 1200mm and 1400mm rated BEE 1-star.

GRATIA CLASS



Wood Peuter



Pearl-Pink



Copper-Grey

**HIGH
SPEED**

PSP
Technology



Wide blades for
high air delivery



Ribbed aluminium
blades for durability



Stylish bottom cover and
canopy for better aesthetics

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	320	53





ADONIS

Royal Manioca



High Air Delivery
and Air Throw



Wider Tip blades for
Better Air Spread



Rust Proof



14 Pole strong motor



White

Brown

Daytone Grey

Brown

Decorative

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	370	53





FALCON 400

White



Brown



Matt Brown



Ivory



Metallic Bronze Copper



Full copper motor
for durability



Tangential blades for
better aesthetics



Rust proof
aluminium blades



Strong motor
(14 pole)

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	215	380	53





FALCON DECO

Metallic Bronze Copper



Brown




White



Aqua Teal



Daytone Grey



Ash Rose



Royal Manioca



Fastest fan in the category (380 RPM)



Durable motor for long life



Ribbed aluminium blades for higher durability



Strong motor (14 pole)

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	380	55



NEW BREEZE



Strong motor for better performance



Ribbed aluminium blades for longer durability



Powder coating provides longer life



Rust proof aluminium blades

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	140	400	38
1050	165	380	45
1200	225	320	44
1400	255	300	56



900mm, 1050mm and 1400mm rated BEE 2-star. 1200mm rated BEE 3-star.

SMART SAVER 50

Brown



White



Ivory

Decorative



Full copper motor
for durability



Powder coating
provides longer life

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	350	50



**ENERGY
STAR**

Teakwood



Pearl Ivory



Brown



Rosewood



Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	320	48



**SUMMER
COOL**



Ivory



White



Metallic Bronze
Copper

Decorative

A fan that has been trusted by
over 30 Million+ happy consumers.



**Ribbed aluminium
blades for durability**



**Decorative cup on the
motor cover adds
elegance to the decor**



**Rust proof
aluminium blades**



**16 pole motor for
higher durability**



**Powder coating
provides long-lasting
premium finish**

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	140	850	70
900	140	400	38
1050	165	380	45
1200	220	320	50
1400	255	300	56



900mm, 1050mm and 1400mm rated BEE 2-star. 1200mm rated BEE 1-star.



SUMMER BREEZE PRO

Ivory



Brown



White

**HIGH
SPEED**



Wider tip blades for better air circulation



Strongest 14 pole motor in its category for higher durability



Superior paint finish for longer & Impeccable feel



Rust proof aluminium blades

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	138	400	38
1200	215	370	53
1400	250	300	60



900mm rated BEE 2-star. 1200mm and 1400mm rated BEE 1-star.

NEW AIR PLUS

Ivory



Strong motor for better performance



Powder coating provides longer life



Ribbed aluminium blades for longer durability



Brown



White



Brown



White




Yellow

Decorative

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	110	800	62
900	140	400	37
1050	165	380	45
1200	225	380	53
1400	250	300	58




Also available in variant 600mm in 4 blades. 900mm, 1050mm and 1200mm rated BEE 2-star. 1200mm and 1400mm rated BEE 1-star.

A woman with long dark hair, wearing an orange sweater and blue jeans, is sitting on a light grey sofa. She is holding a white laptop and looking at it with a smile. To her right, on the floor, is a white, oval-shaped portable fan. In the background, there is a potted plant on a metal stand. The scene is set in a modern, minimalist living room with a light grey wall and a patterned rug.

"Easy on the eyes. Tough on the heat." Introducing the brand-new range of portable fans from Orient - designed to stun and impress with their revolutionary designs, next-generation technology, and elegant finish. With a complete package like this, the only thing left to do is to pick what color you like!"

Lifestyle Fans

CLOUD 



Orient
Proteus



Orient
Bladeless

GET MOUNTAIN COOL BREEZE IN HOT SUMMERS.



 REDUCES
TEMPERATURE
UP TO 12°C*

70



*Under defined test conditions.



CLLOUDCHILL[™]

TECHNOLOGY

Orient Cloud 3 is a one-of-a-kind lifestyle cooling solution powered by the unique Cloudchill technology which helps bring down the air temperature by up to 12 degree Celsius. It has an in-built cloud chamber that converts water into cloud-like microparticles which instantly cools the air while the aerodynamically designed fan blades help spread this chilled air across the room. It is easy to move and comes with a remote control for convenient usage. And all this is packed in a beautiful body that forms a perfect product to enhance the interiors of your home.



TILT MECHANISM

Adjustable downward tilt up to 10-degrees helps direct the cooling where you want it



30-DEGREE OSCILLATION

Unique 30-degree oscillation with gliding top mechanism helps circulate cool air across the room, enhancing your comfort



EASY FILL INLET FOR WATER & ICE

Revolutionary Cloudchill technology drops temperature up to 12 degrees. For extra chill, add some ice, for a temperature drop up to 20 degrees



FRAGRANCE CHAMBER

Add fragrance of your choice in the easy fill inlet to lift your mood



BREEZE MODE

Experience the pleasant sensation of fresh and pure breeze inside your home with the fan's breeze mode



ENHANCED AIR CIRCULATION WITH UNIQUE GRILL DESIGN

Unique and elegant grill design ensures safety and helps in effective circulation of air to enhance the overall cooling experience



AVAILABLE IN WHITE AND BLACK.



Orient PROTEUS

Voltage : 220-240V

Frequency : 50 Hz

Power : 42W



Silent
operation



Strong &
reliable
motor



1 Hour
timer



Power
saving



Rotating
grill



Orient **BLADELESS**

BECAUSE DIFFERENT IS UNIQUE.

Voltage : 220-240V

Frequency : 50/60Hz

Power : 40W



Enjoy all-year-round cooling with our wide range of table, wall, and pedestal fans - designed with a touch of comfort and the convenience of Ergonomics.

Table, Pedestal and Wall Fans



Wind-Pro



Stylus



Tornado



**Stand 37
High Speed Series**



**Stand 35
Retro Series**

WIND-PRO



Desk 60

Motor with revolutionary



for smoother, longer and reliable operations.



Thermal overload protection device



Extra-high air thrust with heavenly silence motor



Elegant aesthetic with 5-leaf blades



Oscillation & speed control

Available in two colors: Snow White & Signal White

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350

RETRO RELIC



Antique Copper



Antique Brass



Pewter Finish



90-degree oscillation



Easy fan head tilt mechanism



3-Speed rotary switch control



High speed motor to deliver air at 2100 RPM



Motor protection with thermal overload protection device & auto reset

Sweep (mm)	Air Delivery (cmm)	RPM
300	47	2100

RETRO SERIES

**HIGH
SPEED**



T12
Rubbed Bronze

**HIGH
SPEED**



T16HS
Rubbed Bronze



T16
Rubbed Bronze

Motor with revolutionary



for smoother, longer and reliable operations.



90-degree oscillation



High speed motor gives high air thrust at 2100 RPM



Rubbed-bronze finish adds to the overall aesthetics



Up & down tilt mechanism



3-speed rotary switch control



Motor protection through thermal overload protection device



Rubbed-bronze finish adds to the overall aesthetics



Spiral guard design ensure international safety standard


Sweep (mm)	Air Delivery (cmm)	RPM
300	47	2100
400	85	2100
400	80	1300

DESK 25

Motor with revolutionary



for smoother, longer and reliable operations.



Azure Blue-White



Signal White



Up & down tilt mechanism



3-Speed piano switch control



90-degree oscillation



Easy snap-fit assembly



Aerodynamically designed resin blades for maximum air delivery



Motor protection with thermal overload protection and auto-resetting



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

DESK 26

Motor with revolutionary

CTE TECH

for smoother, longer and reliable operations.



Azure Blue-white



Crimson Red-white



Crystal White



Up & down tilt mechanism



3-Speed piano switch control



90-degree oscillation



Easy snap-fit assembly



Motor protection with thermal overload protection and auto-resetting



Aerodynamically designed resin blades for maximum air delivery



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

DESK 71



Desk 71

Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



90-degree oscillation



3-Speed rotary switch control



Extra protection against corrosion with powder-coated guard and polymer ring



Motor protection with thermal overload protection



Aerodynamically designed resin blades for maximum air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

DESK 26

Trendz

Motor with revolutionary

CTE TECH

for smoother, longer and reliable operations.



Electric Blue




Slate Grey

 Up & down tilt mechanism


 90-degree oscillation

 Easy snap-fit assembly

 3-speed piano switch control

 Motor protection with thermal overload protection and auto-resetting

 Aerodynamically designed resin blades ensure high thrust of air

 Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

TABLE 27
Trendz

**HIGH
SPEED**



Slate Grey



Electric Blue



Up & down
tilt mechanism



3-speed piano
switch control



Extra protection against
corrosion with powder-coated
guard and polymer ring



Motor protection with thermal
overload protection and auto-resetting



Aerodynamically designed
resin blades for high air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100

FINSTAR DESK-21



Crystal White



Crimson Red - White



Azure Blue - White



Up & down
tilt mechanism



3-speed piano
switch control



90-degree
oscillation



Strong and reliable motor
with thermal overload
protection device

Sweep (mm)	Air Delivery (cmm)	RPM
400	85	1330

TABLE 27



Commander Grey



Signal White

**HIGH
SPEED**

- Up & down tilt mechanism
- 2100 RPM For high air thrust

- 3-speed piano switch control
- Motor protection with thermal overload protection and auto resetting

- Aerodynamically designed resin blades for maximum air delivery
- Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100

DESK 17



Crystal White

**HIGH
SPEED**

 3-Speed rotary Switch control

 90-degree oscillation

 2100 RPM For high air thrust

 Up & down index tilt mechanism

 Ideal for small cabins, offices & homes

 Motor protection with thermal overload protection and auto-resetting

 Extra protection against corrosion with powder-coated guard and polymer ring

 Aerodynamically designed resin blades for maximum air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
300	80	2100

ZIPPY



Blue-White



Aerodynamic plastic blades for high air thrust



Attractive colour combination



2-in-1 advantage of wall mounting & table-top usage



Motor protected through thermal overload protection device



Heavy-duty motor with 2500 RPM provides high air thrust

Sweep (mm)	Air Delivery (cmm)	RPM
225	16	2500

TORNADO-II

For Commercial Use

**ALL METAL
CONSTRUCTION**



Gunmetal



Chorme



Black



Powerful motor for high air delivery



Unit packing with easy assembly



Thermal overload protection with auto-reset



Unique oil reservoir lubrication for better reliability & longer life



Extra protection against corrosion with powder-coated guard and polymer ring



Aerodynamic metal blades for high air thrust



Unique oscillation mechanism



3-speed regulation & On/Off control

Sweep (mm)	Air Delivery (cmm)	RPM
450	110	1325

FARATA FT-01



Black

For Commercial Use



Balanced operation & powder-coated finish ensure longer life



Heavy-duty motor & aerodynamic blades give high air thrust at minimum noise



3-speed rotary Switch control

Sweep (mm)	Air Delivery (cmm)	RPM
500	167	1400

STAND 37

**HIGH
SPEED**



Signal White



Crystal White



Up & down tilt mechanism



90-degree oscillation



2100 RPM with high speed powerful motor



Motor protection with thermal overload protection and auto-resetting



Aerodynamically designed resin blades for high air delivery



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100

STAND 37

Trendz



Slate Grey

**HIGH
SPEED**



Up & down tilt
mechanism



3-Speed piano
switch control



90-degree
oscillation



High speed motor
gives high air thrust
at 2100 RPM



Telescopic arrangement for
full height adjustment by
contemporary collet

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100

STAND 33



Signal White



Off White

Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



90-degree oscillation



3-speed piano switch control



Specially designed high torque motor



Aerodynamically designed resin blades ensure high thrust of air



Motor protection with thermal overload protection device



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

STAND 31



Crison Red



Crystal White



Signal White

Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



3-speed piano switch control



90-degree oscillation



Cross-steel base adds elegance to the decor



Aerodynamically designed resin blades for high air delivery



Extra protection against corrosion with powder-coated guard and polymer ring



Motor protection with thermal overload protection device

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

STAND 35



Rubbed Bronze



Sleek 4-leaf aluminium blade classic design



Specially designed high torque motor



Attractive rubbed-bronze finish



Extra protection against corrosion with powder-coated guard and metal ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	80	1300

STAND 35HS



Rubbed Bronze

Motor with revolutionary



for smoother, longer and reliable operations.



Sleek 4-leaf aluminium blade classic design



Specially designed high torque motor



Attractive rubbed-bronze finish



Extra protection against corrosion with powder-coated guard and metal ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	85	2100

STAND 32

Trendz



Electric Blue

Motor with revolutionary



for smoother, longer and reliable operations.



Extra protection against corrosion with powder-coated guard and polymer ring



Aerodynamically designed resin blades for high air delivery



Motor protection thermal overload protection device with auto-reset

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

STAND 38



Crystal White

Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



90-degree oscillation



Specially designed high torque motor



Extra protection against corrosion with powder-coated guard and polymer ring



Aerodynamically designed resin blades give high air thrust



Sleek switch panel & round base add elegance to the decor



Motor protection with thermal overload protection device



Front & back guard with extra ribs for safety

Sweep (mm)	Air Delivery (cmm)	RPM
450	92	1330

STAND 32

Motor with revolutionary



for smoother, longer and reliable operations.



Grey



Crimson Red-white



Signal White



Up & down tilt mechanism



90-degree oscillation



3-speed piano switch control



Telescopic arrangement for full height adjustment by contemporary collet



Square base finish adds to the overall aesthetics



Motor protection with thermal overload protection device



Aerodynamically designed resin blades for high air delivery



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

FINSTAR STAND



Crystal White



Azure Blue White



Crimson Red White



Up & down tilt mechanism



Strong and reliable motor with thermal overload protection device



90-degree oscillation



Telescopic arrangement for full height adjustment



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	85	1330

STYLUS



Motor with revolutionary



for smoother, longer and reliable operations.



Manual and remote control




Unique square guard with radial wires




Super-efficient and silent motor




Breeze mode and timer for auto switch off



Unique combination of motor and blade for more air thrust



90-degree oscillation with remote control



High air delivery at moderate power consumption



Thermal overload protection device

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350

WIND-PRO



Stand 70

Motor with revolutionary



for smoother, longer and reliable operations.



Thermal overload protection device



Extra-high air thrust with heavenly silence motor



Elegant aesthetic with 5-leaf blades




Oscillation & speed control

Available in two colors: Snow White & Signal White

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350

STYLUS



Stylus Wall

Motor with revolutionary



for smoother, longer and reliable operations.



Manual and remote control




Unique square guard with radial wires




Super-efficient and silent motor




Breeze mode and timer for auto switch off



Unique combination of motor and blade for more air thrust



90-degree oscillation with remote control



High air delivery at moderate power consumption



Thermal overload protection device


Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350

WIND-PRO

Motor with revolutionary



for smoother, longer and reliable operations.



Wall 80



Thermal overload protection device



Extra-high air thrust with heavenly silence motor



Elegant aesthetic with 5-leaf blades



Oscillation & speed control

Available in two colors: Snow White & Signal White

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350

WALL 48

Motor with revolutionary

CTE TECH

for smoother, longer and reliable operations.



Crystal White



90-degree oscillation



Up & down tilt mechanism



Powerful motor for high air delivery



Front & back guard with extra ribs for safety



Oscillation & speed control by pull-cord mechanism



Motor protection with thermal overload protection and auto-resetting



Extra protection against corrosion with powder-coated guard and polymer ring



Aerodynamically designed resin blades for maximum air delivery

Sweep (mm)	Air Delivery (cmm)	RPM
450	92	1330

TORNADO WALL-II



Gunmetal



Black



Chrome



Extra protection against corrosion with powder-coated guard and polymer ring



Pull-cord mechanism for on/off & speed control



Unique oil reservoir lubrication for better reliability & longer life



Up & down tilt mechanism



Powerful motor for high air delivery



Aerodynamic metal blades for high air thrust motor



Thermal overload protection with auto-reset

Sweep (mm)	Air Delivery (cmm)	RPM
450	110	1325

WALL 49




Motor with revolutionary

CTE TECH

for smoother, longer and reliable operations.



Up & down tilt mechanism



Aerodynamic blades for high air thrust



Extra protection with powder-coated guard and polymer ring



Motor protection with thermal overload protection device



Automatic speed control through the breeze control button



Advanced touch-screen panel for manual operation

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



WALL 41

Motor with revolutionary

CTE TECH

for smoother, longer and reliable operations.



90-degree oscillation



Up & down tilt mechanism



3-Speed piano switch control



Powerful motor for high air delivery



Aerodynamic resin blades for high air thrust



Front & back guard with extra ribs for safety



Extra protection with powder-coated guard and polymer ring



Motor protected with thermal overload protection device

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

WALL 44

Motor with revolutionary

CTE TECH

for smoother, longer and reliable operations.



Crystal White



Azure Blue-white



Crimson Red-white



Up & down
tilt mechanism



90-degree
oscillation



Powerful motor for
high air delivery



Aerodynamic resin blades
for high air thrust



Extra protection against corrosion with
powder-coated guard and polymer ring



Motor protected with thermal
overload protection device

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

FINSTAR WALL


WITH PULL CHORD MECHANISM



Crimson Red White



Crystal White



Azure Blue White



Up & down
tilt mechanism



Strong and reliable motor with
thermal overload protection device



90-degree
oscillation



Extra protection against corrosion with
powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	85	1330

WALL 14

**HIGH
SPEED**



Crystal White



Up & down tilt mechanism



Motor protection with thermal overload protection and auto-resetting



3-Speed rotary switch control



Specially designed motor gives high air thrust @ 2100 RPM



Aerodynamically designed resin blades for maximum air delivery



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
300	80	2100

WALL 47

**HIGH
SPEED**



Crystal White



Signal White



Up & down tilt
mechanism



Motor protection with
thermal overload protection
and auto-resetting



3-Speed rotary
switch control



Specially designed
motor gives high air
thrust @ 2100 RPM



Aerodynamically designed
resin blades for maximum
air delivery



Extra protection against corrosion
with powder-coated guard and
polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100

WALL 11

Motor with revolutionary



for smoother, longer and
reliable operations.



Wall 11



Up & down tilt
mechanism



90-degree
oscillation



Powerful motor for
high air delivery



Oscillation & speed control
by pull-cord mechanism



Aerodynamic resin blades
for high air thrust



Motor protection with thermal
overload protection

Sweep (mm)	Air Delivery (cmm)	RPM
300	50	1400

WALL 43

Motor with revolutionary

CTECH

for smoother, longer and reliable operations.



Wall 43



Up & down tilt mechanism



3-Speed rotary switch control



90-degree oscillation



Powerful motor for high air delivery



Oscillation & speed control by pull-cord mechanism



Extra protection with powder-coated guard and polymer ring



Aerodynamic resin blades for high air thrust



Motor protection with thermal overload protection

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

ROTO-53



Crystal White

Motor with revolutionary



for smoother, longer and reliable operations.



Wall mounting regulator



Powerful motor for high air delivery



360-degree cyclic motion



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

WALL 44

Trendz


Motor with revolutionary

CTE TECH

for smoother, longer and reliable operations.



Slate Grey



Electric Blue



Up & down tilt mechanism



90-degree oscillation



3-speed piano switch control



Powerful motor for high air delivery



Aerodynamic Resin Blades For high air thrust



Motor protection with thermal overload protection device



Extra protection with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330

WALL 47

Trendz




**HIGH
SPEED**







Slate Grey



Electric Blue

-  Up & down tilt mechanism
-  90-degree oscillation
-  Motor protection with thermal overload protection device

-  Specially designed motor gives high air thrust @ 2100 RPM
-  Extra protection with powder-coated guard and polymer ring

-  Oscillation & speed control by pull cord mechanism
-  Aerodynamic Resin Blades For high air thrust

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100



Keep cool, Keep calm. Stay noise-free! Orient's next-generation of exhaust fans deliver cleaner air, dust-free surroundings, and top-notch performance in an elegant design that complements your décor and lifts the mood!

Exhaust Fans



Ventilator DX



Ventilator HS



Hill Air



Smart Air Neo



Spring Air



Airflow



High Speed Exhaust



Smart Air Neo SF



Power Flow



Smart Air



Heavy Duty Exhaust



Smart Air LSH



Taking pride in the spirit of continuous innovation and commitment to manufacturing cutting-edge lifestyle electrical products, Orient exhaust fans are built to provide lesser noise and 100 times more efficiency than ever before while sticking clear to their promise of clearer and dust-free surroundings.

SMART AIR NEO SF



Silver Finish

**HIGH
SPEED**



Strong powerful
motor



Powerful air
suction



Glass Mountable



Ideal for kitchens
& bathrooms



Easy to clean

Sweep (mm)	Air Delivery (cmm)	RPM
150	250	2000

VENTILATOR HS



**HIGH
SPEED**



Smooth & silent operation



Dust protection shutter



Sleek & trendy design



2 years warranty

Sweep (mm)	Air Delivery (cmm)	RPM
150	500	2500
200	750	2100

VENTILATOR DX



Resin body & blades for
easy maintenance



Shutter to prevent
dust from outside



International design



2 years warranty

Sweep (mm)	Air Delivery (cmm)	RPM
150	280	1350
200	550	1300
250	780	1270

SMART AIR LSH



Off White

**HIGH
SPEED**



Strong powerful
motor



Glass Mountable



Easy to clean



Powerful air
suction



Ideal for kitchens
& bathrooms

Sweep (mm)	Air Delivery (cmm)	RPM
150	230	2000

SMART AIR NEO



Off White



Strong powerful motor



Powerful air suction



Glass Mountable



Ideal for kitchens & bathrooms



Easy to clean

Sweep (mm)	Air Delivery (cmm)	RPM
100	90	2500
150	250	2000

SMART AIR



Stylish, compact fan
with super efficient motor



Sturdy front grill for
additional safety

Sweep (mm)	Air Delivery (cmm)	RPM
100	90	2400
150	240	1800

VENITO AIR



Wooden Finish



Off White



Strong powerful motor



Glass Mountable



Easy to clean



Powerful air suction



Ideal for kitchens & bathrooms



Elegant design

Sweep (mm)	Air Delivery (cmm)	RPM
150	280	2000

HIGH SPEED EXHAUST



Front guard protection
for bird



Powerful air
suction



Ideal for kitchens
& bathrooms



Powder-coated
for long life

Sweep (mm)	Air Delivery (cmm)	RPM
230	1150	2250

HILL AIR



Front guard protection
for bird



Ideal for kitchens
& bathrooms




Powder-coated
for long life

Sweep (mm)	Air Delivery (cmm)	RPM
230	550	1350
300	1290	1300

AIR FLOW



 Powder-coated
for long life

 Resin blades for
easy cleaning

Sweep (mm)	Air Delivery (cmm)	RPM
150	400	2600
230	550	1350
300	1290	1300

SPRING AIR



Powder-coated
for long life



Resin blades for
easy cleaning

Sweep (mm)	Air Delivery (cmm)	RPM
230	650	1300
300	1290	1300

POWER FLOW



Powerful air suction



Powder-coated for long life



Ideal for low end industrial use

Sweep (mm)	Air Delivery (cmm)	RPM
150	500	2600

POWER FLOW



Powerful air suction



Powder-coated for long life



Ideal for low end industrial use



Double ball-bearing

Sweep (mm)	Air Delivery (cmm)	RPM
230	865	1350
300	1800	1320

Works like a charm. Heavy duty fans for Industrial use.

Industrial Fans




**Thunderstorm
Wall Fan**



**Air Circulator
Wall 18/24**



**Air Circulator
Stand 18/24**



**Thunderstorm
Stand Fan**



**Heavy-duty
Exhaust**

THUNDERSTORM WALL FAN



Double ball bearings ZZ
(Permanent lubricated)
for longer life



Powerful air circulator motor for
continuous operation with high
air delivery & thrust



It comes with the air direction
control by telescopic height
adjustment



Sturdy metallic body
for "durability"



Motor protection thermal
overload protection
device with auto-reset



Narrow aerodynamically
designed blades for
providing "Low Noise"



Tilt adjustment for adjusting
the fan till 15° angle



Floating arrangement for
changing the position
of oscillation

Sweep Model	Sweep (mm)	Sweep (RPM)	Phase	Power Input (Watt)	Current (AMP)	Air Delivery (CMH)	Noise Level (DB)
450 mm AC(Wall)	450	1450 \pm 5%	1	80 +10%	0.34	9000	60 ~ 65

THUNDERSTORM STAND FAN



Double ball bearings ZZ
(Permanent lubricated)
for longer life



Powerful air circulator motor for
continuous operation with high
air delivery & thrust



It comes with the air direction
control by telescopic height
adjustment



Sturdy metallic body
for "durability"



Motor protection thermal
overload protection
device with auto-reset



Narrow aerodynamically
designed blades for
providing "Low Noise"



Tilt adjustment for adjusting
the fan till 15° angle




Floating arrangement for
changing the position
of oscillation



Sweep Model	Sweep (mm)	Sweep (RPM)	Phase	Power Input (Watt)	Current (AMP)	Air Delivery (CMH)	Noise Level (DB)
450 mm AC(Stand)	450	1450 ± 5%	1	80 +10%	0.34	9000	60 ~ 65

THUNDERSTORM WALL FAN



Double ball bearings ZZ
(Permanent lubricated)
for longer life



Powerful air circulator motor for
continuous operation with high
air delivery & thrust



It comes with the air direction
control by telescopic height
adjustment



Sturdy metallic body
for "durability"



Motor protection thermal
overload protection
device with auto-reset



Narrow aerodynamically
designed blades for
providing "Low Noise"



Tilt adjustment for adjusting
the fan till 15° angle



Floating arrangement for
changing the position
of oscillation

Sweep Model	Sweep (mm)	Sweep (RPM)	Phase	Power Input (Watt)	Current (AMP)	Air Delivery (CMH)	Noise Level (DB)
600 mm (24" Wall)	600	1450 ± 5%	1	170 +10%	0.34	18000	70 ~ 75

THUNDERSTORM STAND FAN



Double ball bearings ZZ
(Permanent lubricated)
for longer life



Powerful air circulator motor for
continuous operation with high
air delivery & thrust



It comes with the air direction
control by telescopic height
adjustment



Sturdy metallic body
for "durability"



Motor protection thermal
overload protection
device with auto-reset



Narrow aerodynamically
designed blades for
providing "Low Noise"



Tilt adjustment for adjusting
the fan till 15° angle



Floating arrangement for
changing the position
of oscillation

Sweep Model	Sweep (mm)	Sweep (RPM)	Phase	Power Input (Watt)	Current (AMP)	Air Delivery (CMH)	Noise Level (DB)
600 mm (24" Stand)	600	1450 ± 5%	1	170 +10%	0.34	18000	70 ~ 75

HEAVY DUTY EXHAUST



Sweep (mm)	Phase	Speed (RPM)	Power (watt)	Current (AMP)	Air Delivery (CMH)	Noise label (DBA)
300	Single	900	55	0.24	1145	45
		1400	85	0.41	1710	50
380	Single	900	105	0.45	2000	55
		1400	155	0.70	3250	60
450	Single	900	150	0.67	3900	60
		1400	330	1.5	6120	70
600	Single	700	255	1.15	7100	65
		900	485	2.1	9400	70
380	Three	1400	155	0.3	3250	60
450	Three	1400	355	0.6	6120	70
600	Three	900	485	0.9	9400	70

IP55
Protected



IS:2312 - 1967



CM/L-3062441

HEAVY DUTY EXHAUST

S. No.	Product	ØX	ØH	ØS	Y SQ
1.	Heavy-duty Exhaust Fan	384	7.8	320	313
2.	Heavy-duty Exhaust Fan	468	10.8	405	373
3.	Heavy-duty Exhaust Fan	548	10.8	484	447
4.	Heavy-duty Exhaust Fan	718	10.8	632	603



Pre-lubricated double ball bearing for maintenance free running



Aerodynamically contoured blades to handle maximum air delivery with minimum power consumption



Motor protected with thermal overload protection device



Class 'B' insulation



Epoxy powder coating to resist corrosion



Powerful air suction

WALL AC 18



**IP55
Protected**



High torque gear box with safety clutch



Best-in-category air thrust



3-speed control



Broad blade profile for low noise



Up & down tilt mechanism



Motor protection thermal overload protection device with auto-reset



90-degree oscillation



Spiral guard design ensure international safety standard



Powerful air circulator motor for high air delivery & thrust

STAND AC-18



Sweep Model	Sweep (mm)	Sweep (RPM)	Phase	Power Input (Watt)	Current (AMP)	Air Delivery (CMH)	Noise Level (DB)
450 mm AC (Stand/Wall)	450	1450 \pm 5%	1	100 + 10%	0.43	8100	50 ~ 60

Tolerance on ratings (As per IS 2997-1964) Speed -10% Power +10% Air Delivery -10%

WALL AC-24



**IP55
Protected**



High torque gear box
with safety clutch



Best-in-category
air thrust



Indexed floating system
in the motor head



Up & down tilt
mechanism



Motor protection thermal
overload protection device
with auto-reset



90-degree
oscillation



Spiral guard design
ensure international
safety standard



Powerful air circulator
motor for high air
delivery & thrust



Environment protection
with durable powder
coating

STAND AC-24



Sweep Model	Sweep (mm)	Sweep (RPM)	Phase	Power Input (Watt)	Current (AMP)	Air Delivery (CMH)	Noise Level (DB)
600mm 24" (Stand/Wall)	600	1450 \pm 5%	1	200 +10%	0.85	15000	60 ~ 65

Tolerance on ratings (As per IS 2997-1964) Speed -10% Power +10% Air Delivery -10%

MODEL SWEEP (MM), SPEED (RPM), AIR DELIVERY (CMM), CONSUMPTION (Watts)

Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)	BEE Star Rating	USP
I-Float	1200	330	215	32	*****	BLDC
Hector 500	1400	300	260	35	*****	BLDC
I-Tome (With Remote)	1200	370	220	26	*****	BLDC
I-Tome	1200	370	220	28	*****	BLDC
Hector 500 With Remote	1200	350	230	28	*****	BLDC
Hector 500	900	450	140	25	*****	BLDC
I-Tome	1400	300	250	35	*****	BLDC
I Float IOT	1200	330	215	32	*****	BLDC
Ecotech Pro Re (RF)	1200	370	220	26	*****	BLDC
Ecotech Pro	1200	370	220	32	*****	BLDC
Ujala Pro	1200	370	220	32	*****	BLDC
Hector 500	1200	350	230	32	*****	BLDC
I Tome Plus	1200	370	220	26	*****	BLDC
I Falcon Deco	1200	350	225	30	*****	BLDC
Ecotech Supreme	1200	370	220	30	*****	BLDC
I Tome Smart	1200	370	220	28	*****	BLDC
I Falcon	1200	350	225	30	*****	BLDC
Apex ES	1200	370	225	30	*****	BLDC
Jazz BLDC	1200	350	215	33	*****	BLDC
Wendy BLDC	1200	350	230	35	*****	BLDC
Ecotech Supreme Re	1200	370	220	30	*****	BLDC
Hector Deco	1200	350	230	30	*****	BLDC
Ecotech Pro Remote (IR)	1200	370	220	32	*****	BLDC
Ecotech Prime	1200	350	220	32	*****	BLDC
Aeroquiet BLDC	1230	310	240	35	*****	BLDC
Gratia Antidust	1200	320	220	55	*	Anti-Dust
Gratia Antidust HS	1200	370	215	53	*	Anti-Dust
Gratia Shine Hi Speed	1200	370	215	53	*	Anti-Dust
Kiara Antidust	1200	370	215	53	*	Anti-Dust
Laurel Antidust	1200	370	220	53	*	Anti-Dust
Quasar Ornamental Antidust	1200	320	235	50	**	Anti-Dust
Wendy Antidust	1200	320	230	55	*	Anti-Dust
Morace	1200	370	215	52	*	Induction
Wendy	900	400	155	37	***	Induction
Wendy	1200	320	230	55	*	Induction
Quasar	1200	320	235	50	**	Induction
Quasar	1400	300	260	60	*	Induction
Quasar	900	400	140	38	**	Induction
Quasar	1050	380	165	45	**	Induction
Quasar Ornamental	1200	320	235	50	**	Induction
Quasar Ornamental	1400	300	260	60	*	Induction
Quasar Ornamental	900	400	140	38	**	Induction
Quasar Ornamental	1050	380	165	45	**	Induction
Summer Pride	1200	320	220	50	*	Induction
Wendy	1400	300	250	55	**	Induction
Summer Chill	1200	370	215	53	*	Induction

Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)	BEE Star Rating	USP
Adena Prime	1200	320	220	55	*	Induction
Adonis	1200	370	220	53	*	Induction
Aeroquiet Baby	900	430	150	48	*	Induction
Areta	1200	320	230	53	*	Induction
Areta Trendz	1200	320	230	53	*	Induction
Avalon Prime	1200	320	220	55	*	Induction
Dior	1200	370	215	53	*	Induction
Energy Star	1200	320	220	48	*	Induction
Falcon 400	1200	380	215	53	*	Induction
Falcon Deco	1200	380	220	55	*	Induction
Fantoosh	1200	320	215	53	*	Induction
Gratia	900	400	140	38	**	Induction
Gratia	1050	380	165	45	**	Induction
Gratia	1200	320	220	53	*	Induction
Gratia	1400	300	255	62	*	Induction
Gratia Class	1200	320	220	53	*	Induction
Gratia Hi Speed	1200	370	215	53	*	Induction
Gratia Hi Speed	1200	380	225	50	**	Induction
IS 50	1200	350	220	50	*	Induction
Jazz	1050	380	165	45	**	Induction
Jazz	900	400	155	37	***	Induction
Jazz	1400	300	250	60	*	Induction
Jazz	1200	380	225	53	*	Induction
Jazz Art	1200	370	215	53	*	Induction
Jazz Trendz	1200	370	215	53	*	Induction
Laurel	1200	370	220	53	*	Induction
New Air Plus	1050	380	165	45	**	Induction
New Air Plus	1400	300	250	58	*	Induction
New Air Plus	900	400	140	37	**	Induction
New Air Plus	1200	380	225	53	*	Induction
New Breeze	1050	380	165	45	**	Induction
New Hurricane	1050	380	165	45	**	Induction
New Hurricane	1400	300	250	58	*	Induction
New Hurricane	900	400	140	37	**	Induction
New Hurricane	1200	370	215	53	*	Induction
New Breeze	900	400	140	38	**	Induction
New Breeze	1400	300	255	56	**	Induction
New Breeze 3S	1200	320	225	44	***	Induction
Norton	1200	370	215	53	*	Induction
Orient-G	1400	300	255	55	**	Induction
Orient Joan	1200	320	220	50	*	Induction
Orient-G	1200	320	215	50	*	Induction
Orina	1200	320	230	55	*	Induction
Quadro Ornamental	1200	320	230	55	*	Induction
Smart Saver 50	1200	350	220	50	*	Induction
Summer Breeze	1200	370	220	50	*	Induction

Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)	BEE Star Rating	USP
Summer Breeze	900	400	150	38	* *	Induction
Summer Breeze	1400	300	250	55	* *	Induction
Summer Breeze Pro	1200	370	215	53	*	Induction
Summer Breeze Pro	1400	300	250	60	*	Induction
Summer Breeze Pro	900	400	138	38	* *	Induction
Summer Chill	900	400	140	37	* *	Induction
Summer Cool	1200	320	220	50	*	Induction
Summer Crown	1200	320	220	48	*	Induction
Summer Delite Decore	1400	300	255	55	* *	Induction
Summer Delite Ornamental	1200	320	220	50	*	Induction
Summer Delite Ornamental	1400	300	255	55	* *	Induction
Summer Delite Ornamental	1050	380	165	45	* *	Induction
Summer King	1050	380	165	45	* *	Induction
Summer King XI	1200	320	220	50	*	Induction
Summer Pride	1400	300	245	55	*	Induction
Summercool	900	400	140	38	* *	Induction
Summer Cool	1400	300	255	56	* *	Induction
Summer cool	1050	380	165	45	* *	Induction
Twister Hi-Speed	1200	370	220	50	*	Induction

Retro Series				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Retro Relic	400	2100	47	60
Retro T12	400	2100	47	60
Retro T16	400	1300	80	56
Stand 35	400	1300	80	56
Retro T16 HS	400	2100	85	90
Stand 35 HS	400	2100	85	90

Trendz Series				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Desk 26 Trendz	400	1330	84	58
Stand 32 Trendz	400	1330	84	58
Wall 44 Trendz	400	1330	84	58
Table 27 Trendz	400	2100	100	110
Stand 37 Trendz	400	2100	100	110
Wall 47 Trendz	400	2100	100	110

Windpro Series				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Desk 60	400	1350	100	80
Stand 70	400	1350	100	80
Wall 80	400	1350	100	80
Wall 50	400	2250	100	110

Thunderstorm Series				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
18 Thunderstorm Stand Fan	450	450	150	80
18 Thunderstand Wall Fan	450	450	150	80
24 Thunderstorm Stand Fan	600	600	300	170
24 Thunderstorm Wall Fan	600	600	300	170

Pedestal Fan				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Tornado II	450	1325	110	90
Stand 34	400	2100	84	58
Stand 31	400	1330	84	58
Stand 32	400	1330	84	58

Stand 39	400	1330	84	58
Stand 33	400	1330	84	58
Finstar (Pedestal)	400	1330	84	58
Stand 37	400	2100	100	110
Stand 38	450	2100	87	64
Farata Ft-01	500	1400	167	160
Stand AC 18	450	1400	135	100
Stand AC 24	600	1375	250	200

Table Fans				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Finstar (Desk-21)	400	1330	84	58
Desk 25	40	1330	84	58
Desk 26	400	1330	84	58
Desk 71	400	1330	84	58
Table 27	400	2100	100	110
Desk 17	300	2100	80	90

Wall Fans				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Wall AC 18	450	1400	135	100
Wall AC 24	600	1375	250	200
Wall 14	300	2100	80	90
Finstar (Wall)	400	1330	84	58
Wall 41	400	1330	84	58
Wall 43	400	1330	84	58
Wall 44	400	1330	84	58
Wall 47	400	2100	100	110
Wall 49	400	1330	84	58
Wall 11	300	1400	50	53
Wall 48	450	1330	87	64
Tornado Wall II	450	1325	110	90

Multi-Utility Fan				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Roto 53	400	1330	84	58
Zippy (High Speed)	225	2500	16	50

Stylus Series				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Stylus Stand	400	1350	100	80
Stylus Wall	400	1350	100	80

Exhaust Fans				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Smart Air	100, 1500	2400, 1800	90, 240	18, 24
Spring Air	225, 300	1300, 1300	650, 1290	55, 68
Ventilator DX	150, 200, 250	1350, 1300, 1270	280, 550, 780	38, 40, 40
Ventilator HS	150, 200	2500, 2100	500, 750	40, 40
Smart Air Neo	150	2000	250	40
Smart Air LSH	150	2000	230	40
Smart Air Neo SF	150	2000	250	40
Vento Air, Vento Air WF	150	2000	280	40
Ventilator HS	150	2500	500	40
Hill Air	225, 300	1350, 1300	550, 1290	42, 67
High Speed Exhaust	225	2250	1150	60
Air flow	150, 225, 300	2600, 1350, 1300	400, 550, 1290	36, 38, , 50
Power flow	150, 225, 300	2600, 1350, 1320	500, 865, 1800	40, 48, 72
Heavy Duty Exhaust	300, 380, 450, 450, 600	1400, 1400, 900, 1400, 900	1750, 3500, 3900, 6200, 10000	85, 150, 145, 375, 500
Raffa	150, 200	1300, 1280	210, 430	24, 28

Area	Updated Address and contact Details
Kerala	Mr. Manoj Ambady, Orient Electric Limited, 5th Floor, Kallamkuzi Business Square, Ernakulam, Kerala Vyttila, Cochin-682019, Contact No: 918129821355
Chennai	Mr. Vishnu Kumar, Orient Electric Limited.heavitree, 2nd Floor, Unit B, New No. 47, Spur Tank Road, Chetpet, Chennai-600031, Tamilnadu, Contact No: 919600001639
Madurai	Mr. K. Prakash, Rodco Marketing Pvt Ltd, 228, Lig Colony, K.k Nagar Madhurai - 625020, Contact No: 9944484128
Hydrabad	Mr. Durgaprasad Rao Orint Electric Ltd, 6-3-1090/Crk Plaza 2nd Floor, Raj Bhavan Road, Somajiguda, Hyderabad - 500082, Telangana (India) Contact No: 9000134193
Banglore	Mr. Kuldip Pandey, Orient Electric Ltd, C/O, Rpm Logistics Pvt Ltd. Sy No. 73, Harokyanthanaha, Dasanapura Hobli, Makali (P) Tumkur Main Road Bengaluru - 552162, Karnataka, Contact No: 9919003378
Vijayvada	Mr. P. Babu, D.no: 23-17/1, Warehouse 1, Kohinoor Estates, Opp Hil Limited, Vijayawada, Mylavaram Rd, Kondapalli, Ibrahimpatnam - Andhra Pradesh, 521228, Contact No. 9052211336.
Delhi	Mr. Vivek Sharma, Rajent Enterprises 3/15, Asaf Ali Road. New Delhi-110002, Mob. 9999410680
Haryana	Mr. Sourav Singh/ Mr. Neeraj Yadav, Alok Distributors, 14/3, Mathura Road, Behind Pnb Bank, Mewala Maharajpur Metro Station, Harayana. Contact No: 96676 00151/9643001001
Rajasthan	Mr Rr Chowdhary / Mr Sunny Sambharwal, Rajasthan,Vasundhara International, D-2(B) Meera Marg,Kamal Varndhavan, Bani Park, Rajasthan- 302016, Contact No: 9001298204/76656 99996
Noida	Mr. Ramit Bhatnagar, D-209, Sector-63, Noida 201301 India, Contact No: 9971397635.
Lucknow	Mr. Sunil Srivastava, Orient Electric Limited-A Ck Birla Group Company, 607, 6th Floor, Ratan Square20-R Vidhan Sabha Marg, Lucknow - 226001, Contact No:9554338866.
Chandigarh	Mr. Dinesh Trehan, Orient Electric Limited, Sco 840 1st Floor, Pac Manimajra, Chandigarh-160101, Contact No: 9646009593.

Area	Updated Address and contact Details
Amritsar	Mr Lalit Chopra, Daga Co, C-4 , Baba Budha Ji Avenue, Opp Ashok Vatika Public School, New Amritsar - 143006, Contact No: 8556978996.
Mumbai	Mr. Vishal Neb: 9769208629 Paramount Logisttrade Centre C/O Hellmann Worldwide Logistics Gala No 8 To 13, Building No. A-9, Situated At Survey No 12,Village Lonad, Thane - 421302 Maharashtra.
Pune	Mr. Vishal Neb: 9769208629 , Pune Orient Electric Ltd Sai Balaji Warehousing Gate No.173, Wade Bolhai Road Vill- Kesnand, Tal- Haveli Dist -Pune -412207.
Nagpur	Mr. Deepak Suroshe, Orient Electric Limited, Block No 402, 4th Floor, Shriyash Heights, Plot No. 95, Lendra West Precinct, Ramdaspath, Nagpur - 440010, Contact No: 9158998211.
Indore	Mr. Rajeev Dwivedi , Jalan Brothers Pvt Ltd 4/1, Mangal Compound, Behind Mercedes-Benz Showroom, Dewas Naka, Indore, Pin Code # 452010, Contact No: 9826724892 .
Raipur	Mr. Jay Prakash, Jalan Brothers Pvt. Ltd., Kedia Business Park, Opp. National Garage G.e. Road, Tatiband, Raipur, Contact No: 9131875970.
Ahemdabad	Mr.jaypalsinh Chauhan (M) 9909909272 Orient Electric Limited-A Ck Birla Group Companyopp- Sumar Logistic Park, Gr Floor, Building No 1, Rudra Pratap Logistic Park, Survey No 102-2, Kajipura Nh-64, Matar Industrial Area, Kheda, Gujarat - 387530
Kolkata	Mr. Mayank Kharkwal, 234/3a, Fmc Fortuna Building, 4th Floor, Room No A 10, Kolkata 700020 Contact No: 9839001094.
Bhubaneswar	Mr. Abhinav Batra ,Badhanpur, Puri By Pass Road, Bhubaneswar 751002, Contact No: 9826343332.
Patna	Mr. Raj Anand, Orient Electric Limited - A Ck Birla Group Company 4th Floor, Sai Tower, Beside Hotel Utsav, New Dak Bunglow Road, Patna 800001, India, Contact No: 9386741195
Ranchi	Anand Kumar, Jharkhand Orient Electric Limited, Office No. 401, Modi Heights, Phase-1, Ratu Road, Ranchi-834001, Contact No: 7366965555.
Guwahati	Mr. Manas Jyoti Bharadwaj, Branch Sales Manager, Orient Electric Limited, Nilakshi Talukdar Campus, Opp Vodafone Head Office, Bh-37, Katabari Guwahati 781035, India, Contact No: 9864058464.

SERVICE BRANCH OFFICE

Delhi

Orient Electric 62, 1st Floor, Okhla Industrial Estate, Phase-3, New Delhi-110020

Indore

No 419, 4th Floor, Shagun Sterling Plot No 7 PU 4 SCH-54, Vijay Nagar, Square Indore-452010

Kolkata

6 Ghore Bibi Lane, Phool Bagan, Kadapara, Kankurgachi, Kolkata, West Bengal-700054

Chennai

12 Second Floor, Wellington Estate 53, Ehitiraj Salai, Egmore Chennai-600008

Ahmedabad


201 Arth Complex B/h LG Showroom Nr Mithakali, Six Road Navrangpura, Ahmedabad-380009

Customer Care No.: 1800 103 7574 (Toll-Free)

Room Size (sqft)	Recommended Sweep Size for Ceiling Fans		
	mm	feet	inches
Upto 70	600	2.0	24
70	900	3.0	36
100	1050	3.5	42
160	1200	4.0	48
180	1300	4.3	52
225	1400	4.7	56
Important: To maximize air delivery over the required area, your Orient Electric ceiling fan should be 2.1 meter or more from the ground and 30cm or more below the ceiling. For large rooms with more than one fan, the center distance between each fan will depend on sweep sizes.			

Sweep	1400mm	1200mm	1050mm	900mm
Center Distance	3m	2.5m	2m	1.8m

- Visuals shown in the brochure, may vary slightly from actual product
- All ceiling fans are with double ball bearing
- Air delivery may vary $\pm 5\%$
- All specifications are subject to change without any prior notice
- Models may change during the year



CK BIRLA GROUP



switch to smart

Fans | Home Appliances | Lighting | Switchgear

Orient Electric Limited (a CK Birla Group company)

240, Okhla Industrial Estate, Phase-III, New Delhi - 110020. Orient Helpline no.: 1800 103 7574 (Toll Free)

Email: customer.connect@orientelectric.com, Website: www.orientelectric.com

Follow us on:

